




典型应用 Typical Applications

- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Guasha instrument, Blackhead instrument, Medical equipment, Vacuum packaging machine, Adult products, Booster technology
刮痧仪.黑头仪.医疗设备.真空包装机.成人用品.增压技术

外形尺寸

Dimension

WEIGHT:14.0g(APPROX)
UNIT:MILLIMETERS



产品规格

Product Specifications

额定电压	Rated Voltage	DC 3V	DC 3.7V	DC 4.5V	DC 6V
额定电流	Rated Current	≤300mA	≤250mA	≤200mA	≤150mA
功率	Power	0.9 W	0.9 W	0.9 W	0.9 W
气嘴口径	Air Tap O.D.	Ø3.1mm			
真空流量	Vacuum Flow (No Load)	0.3-1.5 LPM			
最大压力	Maximum Pressure	≤-55 Kpa(-400mmHg)			
噪音	Noise Level	≤65db (30cm away)			
寿命测试	Life Test	≥ 200 hours (连续)			
重量	Weight	14g			

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计。

PYP130-XH (Φ21真空泵)

真空泵

VACUUM PUMP




典型应用 Typical Applications

- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Guasha instrument, Blackhead instrument, Medical equipment, Vacuum packaging machine, Adult products, Booster technology
刮痧仪.黑头仪.医疗设备.真空包装机.成人用品.增压技术

外形尺寸

Dimension

WEIGHT:28.0g(APPROX)
UNIT:MILLIMETERS



产品规格

Product Specifications

额定电压	Rated Voltage	DC 3V	DC 3.7V	DC 4.5V	DC 6V
额定电流	Rated Current	≤ 550mA	≤ 450mA	≤ 350mA	≤ 270mA
功率	Power	1.66 W	1.66 W	1.6 W	1.6 W
气嘴口径	Air Tap O.D.	Ø3.5mm			
真空流量	Vacuum Flow (No Load)	0.5-1.5 LPM			
最大真空度	Maximum Vacuum	≤ -58 Kpa(-420mmHg)			
噪音	Noise Level	≤ 65db (30cm away)			
寿命测试	Life Test	≥ 100 hours (连续)			
重量	Weight	28g			

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计。




典型应用 Typical Applications

- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Guasha instrument, Blackhead instrument, Medical equipment, Vacuum packaging machine, Adult products, Booster technology
刮痧仪.黑头仪.医疗设备.真空包装机.成人用品.增压技术

外形尺寸

Dimension

WEIGHT:35.0g(APPROX)
UNIT:MILLIMETERS




产品规格

Product Specifications

额定电压 Rated Voltage	DC 3V	DC 6V	DC 9V	DC 12V
额定电流 Rated Current	≤900mA	≤450mA	≤300mA	≤230mA
功率 Power	2.7 W	2.7 W	2.7 W	2.7 W
气嘴口径 Air Tap O.D.	Ø4.0mm			
真空流量 Vacuum Flow (No Load)	1.0-3.5 LPM			
最大真空度 Maximum Vacuum	≤-60 Kpa(-450mmHg)			
噪音 Noise Level	≤65db (30cm away)			
寿命测试 Life Test	≥ 200 hours (连续)			
重量 Weight	35g			

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计.




典型应用 Typical Applications

- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Guasha instrument, Blackhead instrument, Medical equipment, Vacuum packaging machine, Adult products, Booster technology
刮痧仪.黑头仪.医疗设备.真空包装机.成人用品.增压技术

外形尺寸

Dimension

WEIGHT:60.0g(APPROX)
UNIT:MILLIMETERS



产品规格

Product Specifications

额定电压 Rated Voltage	DC 3V	DC 3.7V	DC 4.5V	DC 6V	DC 12V
额定电流 Rated Current	$\leq 600\text{mA}$	$\leq 500\text{mA}$	$\leq 400\text{mA}$	$\leq 300\text{mA}$	$\leq 150\text{mA}$
功率 Power	1.8 W	1.8 W	1.8 W	1.8 W	1.8 W
气嘴口径 Air Tap O.D.	$\varnothing 4.2\text{mm}$				
真空流量 Vacuum Flow (No Load)	1.0-3.5 LPM				
最大压力 Maximum Pressure	$\leq -60\text{ Kpa}(-450\text{mmHg})$				
噪音 Noise Level	$\leq 65\text{db}$ (30cm away)				
寿命测试 Life Test	≥ 500 hours (连续)				
重量 Weight	60g				

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计。




典型应用 Typical Applications

- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Guasha instrument, Blackhead instrument, Medical equipment, Vacuum packaging machine, Adult products, Booster technology
刮痧仪.黑头仪.医疗设备.真空包装机.成人用品.增压技术

外形尺寸

Dimension

WEIGHT:60.0g(APPROX)
UNIT:MILLIMETERS



产品规格

Product Specifications

额定电压 Rated Voltage	DC 3V	DC 3.7V	DC 4.5V	DC 6V	DC 12V
额定电流 Rated Current	≤500mA	≤400mA	≤330mA	≤250mA	≤125mA
功率 Power	1.5 W	1.5 W	1.5 W	1.5 W	1.5 W
气嘴口径 Air Tap O.D.	ØØ4.0mm				
真空流量 Vacuum Flow (No Load)	≥3.0 LPM				
最大真空度 Maximum Vacuum	≤-60 Kpa(-450mmHg)				
噪音 Noise Level	≤65db (30cm away)				
寿命测试 Life Test	≥ 500 hours (连续)				
重量 Weight	60g				

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计.




典型应用 Typical Applications

- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Guasha instrument, Blackhead instrument, Medical equipment, Vacuum packaging machine, Adult products, Booster technology
刮痧仪.黑头仪.医疗设备.真空包装机.成人用品.增压技术

外形尺寸

Dimension

WEIGHT: 60.0g (APPROX)
UNIT: MILLIMETERS



产品规格

Product Specifications


额定电压 Rated Voltage	DC 3V	DC 3.7V	DC 4.5V	DC 6V	DC 12V
额定电流 Rated Current	≤600mA	≤500mA	≤400mA	≤300mA	≤150mA
功率 Power	1.8 W	1.8 W	1.8 W	1.8 W	1.8 W
气嘴口径 Air Tap O.D.	Ø4.3mm				
真空流量 Vacuum Flow (No Load)	1.0-3.5 LPM				
最大压力 Maximum Pressure	≤ -60 Kpa (-450mmHg)				
噪音 Noise Level	≤65db (30cm away)				
寿命测试 Life Test	≥ 500 hours (连续)				
重量 Weight	60g				

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计。

PYP370-XZE (真空泵)

真空泵

VACUUM PUMP




典型应用 Typical Applications

- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Guasha instrument, Blackhead instrument, Medical equipment, Vacuum packaging machine, Adult products, Booster technology
刮痧仪.黑头仪.医疗设备.真空包装机.成人用品.增压技术

外形尺寸

Dimension

WEIGHT:57.5g(APPROX)
UNIT:MILLIMETERS



产品规格

Product Specifications

额定电压 Rated Voltage	DC 3.7V	DC 6V	DC 9V	DC 12V
额定电流 Rated Current	$\leq 850\text{mA}$	$\leq 550\text{mA}$	$\leq 350\text{mA}$	$\leq 250\text{mA}$
功率 Power	3.0 W	3.0 W	3.0 W	3.0 W
气嘴口径 Air Tap O.D.	$\phi 4.2\text{mm}$			
真空流量 Vacuum Flow (No Load)	1.0-4.0 LPM			
最大真空度 Maximum Vacuum	$\leq -60\text{Kpa}(-450\text{mmHg})$			
噪音 Noise Level	$\leq 65\text{db}$ (30cm away)			
寿命测试 Life Test	≥ 200 hours (连续)			
重量 Weight	57.5g			

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计.

PYP370-XZE-1 (真空泵)

真空泵

VACUUM PUMP



典型应用 Typical Applications


- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Guasha instrument, Blackhead instrument, Medical equipment, Vacuum packaging machine, Adult products, Booster technology
刮痧仪.黑头仪.医疗设备.真空包装机.成人用品.增压技术

外形尺寸

Dimension

WEIGHT:57.5g(APPROX)

UNIT:MILLIMETERS



产品规格

Product Specifications


额定电压	Rated Voltage	DC 3.7V	DC 6V	DC 9V	DC 12V
额定电流	Rated Current	$\leq 850\text{mA}$	$\leq 550\text{mA}$	$\leq 350\text{mA}$	$\leq 250\text{mA}$
功率	Power	3.0 W	3.0 W	3.0 W	3.0 W
气嘴口径	Air Tap O.D.	$\phi 4.2\text{mm}$			
真空流量	Vacuum Flow (No Load)	1.0-4.0 LPM			
最大真空度	Maximum Vacuum	$\leq -60\text{Kpa}(-450\text{mmHg})$			
噪音	Noise Level	$\leq 65\text{db}$ (30cm away)			
寿命测试	Life Test	≥ 200 hours (连续)			
重量	Weight	57.5g			

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计。

PYP395-XA (395包装机真空泵)

真空泵

VACUUM PUMP



典型应用 Typical Applications


- Home appliances, medical, beauty, massage
家用电器.医疗.美容.按摩.成人用品.
- Medical equipment, Vacuum packaging machine,
Booster technology
医疗设备.真空包装机.

外形尺寸

Dimension

WEIGHT:135.0g(APPROX)

UNIT:MILLIMETERS



产品规格

Product Specifications

额定电压	Rated Voltage	DC 6V	DC 12V	DC 24V
额定电流	Rated Current	≤1400mA	≤700mA	≤350mA
功率	Power	8.4 W	8.4 W	8.4 W
气嘴口径	Air Tap O.D.	Ø5.4mm		
真空流量	Vacuum Flow (No Load)	7.0-9.0 LPM		
最大真空度	Maximum Vacuum	≤-80 Kpa(-600mmHg)		
噪音	Noise Level	≤ 75db (30cm away)		
寿命测试	Life Test	≥ 500 hours (连续)		
重量	Weight	135g		

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计.

PYP3035-XA (气泵/真空泵)

真空泵
VACUUM PUMP




典型应用 Typical Applications

- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Medical equipment, Vacuum packaging machine, Massagers, Hand held oxygen injector, Booster technology
医疗设备.真空包装机.按摩器.手持注氧仪.增压技术

外形尺寸

Dimension

WEIGHT: 85.0g (APPROX)
UNIT: MILLIMETERS



产品规格

Product Specifications


额定电压 Rated Voltage	DC 3.7V	DC 4.5V	DC 6V	DC 12V	DC 24V
额定电流 Rated Current	$\leq 1600\text{mA}$	$\leq 1300\text{mA}$	$\leq 1000\text{mA}$	$\leq 500\text{mA}$	$\leq 250\text{mA}$
功率 Power	6.0 W	6.0 W	6.0 W	6.0 W	
气嘴口径 Air Tap O.D.	$\phi 5.0\text{mm}$				
真空流量 Vacuum Flow (No Load)	3.5-8.0 LPM				
最大真空度 Maximum Vacuum	$\leq -60\text{ Kpa}(-450\text{mmHg})$				
噪音 Noise Level	$\leq 65\text{db}$ (30cm away)				
寿命测试 Life Test	≥ 500 hours (连续)				
重量 Weight	85g				

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计。

PYP520-XZ (真空泵)

真空泵

VACUUM PUMP




典型应用 Typical Applications

- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Medical equipment, Vacuum packaging machine, Booster technology
医疗设备.真空包装机.增压技术

外形尺寸

Dimension

WEIGHT:67.0g(APPROX)
UNIT: MILLIMETERS



产品规格

Product Specifications

额定电压 Rated Voltage	DC 3.7V	DC 4.5V	DC 6V	DC 12V	DC 24V
额定电流 Rated Current	≤ 800mA	≤ 660mA	≤ 500mA	≤ 250mA	≤ 125mA
功率 Power	3.0 W	3.0 W	3.0 W	3.0 W	3.0 W
气嘴口径 Air Tap O.D.	Ø4.5mm				
真空流量 Vacuum Flow (No Load)	1.5-4.5 LPM				
最大真空度 Maximum Vacuum	≤ -60 Kpa(-450mmHg)				
噪音 Noise Level	≤ 65db (30cm away)				
寿命测试 Life Test	≥ 500 hours (连续)				
重量 Weight	67g				

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计.

PYP528-XA (A款真空泵/气泵)

真空泵

VACUUM PUMP




典型应用 Typical Applications

- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Guasha instrument, Blackhead instrument, Medical equipment, Vacuum packaging machine, Adult products ,Booster technology
刮痧仪.黑头仪.医疗设备.真空包装机.成人用品.增压技术

外形尺寸

Dimension

WEIGHT: 98.0g(APPROX)
UNIT:MILLIMETERS



产品规格

Product Specifications

额定电压 Rated Voltage	DC 3.7V	DC 4.5V	DC 6V	DC 12V	DC 24V
额定电流 Rated Current	≤ 1600mA	≤ 1300mA	≤ 1000mA	≤ 500mA	≤ 250mA
功率 Power	6.0 W	6.0 W	6.0W	6.0 W	6.0 W
气嘴口径 Air Tap O.D.	Ø5.0mm				
真空流量 Vacuum Flow (No Load)	2.5-8.0 LPM				
最大压力 Maximum Pressure	≥ 100 Kpa(750mmHg)				
噪音 Noise Level	≤ 65db (30cm away)				
寿命测试 Life Test	≥ 500 hours (连续)				
重量 Weight	98g				

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计。

PYP528-XB (B款气泵/真空泵)

真空泵

VACUUM PUMP



典型应用 Typical Applications


- ▶ Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- ▶ Medical equipment, Vacuum packaging machine, Massagers, Booster technology
医疗设备.真空包装机.按摩器.增压技术

外形尺寸

Dimension

WEIGHT:120.0g(APPROX)

UNIT:MILLIMETERS



产品规格

Product Specifications


额定电压 Rated Voltage	DC 3.7V	DC 4.5V	DC 6V	DC 12V	DC 24V
额定电流 Rated Current	$\leq 2000\text{mA}$	$\leq 1600\text{mA}$	$\leq 1200\text{mA}$	$\leq 600\text{mA}$	$\leq 300\text{mA}$
功率 Power	7.2 W	7.2 W	7.2 W	7.2 W	7.2 W
气嘴口径 Air Tap O.D.	$\phi 6.1\text{mm}$				
真空流量 Vacuum Flow (No Load)	5.0-10.0 LPM				
最大真空度 Maximum Vacuum	$\leq -55\text{ Kpa}(-412\text{mmHg})$				
噪音 Noise Level	$\leq 65\text{db}$ (30cm away)				
寿命测试 Life Test	$\geq 500\text{ hours}$ (连续)				
重量 Weight	120g				

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计.

PYP555-XA (A款气泵/真空泵)

真空泵

VACUUM PUMP




典型应用 Typical Applications

- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Medical equipment, Vacuum packaging machine, Massagers. Booster technology
医疗设备.真空包装机.按摩器.增压技术

外形尺寸

Dimension

WEIGHT: 285.0g (APPROX)
UNIT: MILLIMETERS



产品规格

Product Specifications

额定电压 Rated Voltage	DC 6V	DC 9V	DC 12V	DC 24V
额定电流 Rated Current	$\leq 2000\text{mA}$	$\leq 1300\text{mA}$	$\leq 1000\text{mA}$	$\leq 500\text{mA}$
功率 Power	12 W	7.2 W	12W	12 W
气嘴口径 Air Tap O.D.	$\varnothing 7.0\text{mm}$			
真空流量 Vacuum Flow (No Load)	10-15 LPM			
最大压力 Maximum Pressure	$\geq 100\text{ Kpa}(750\text{mmHg})$			
噪音 Noise Level	$\leq 65\text{db}$ (30cm away)			
寿命测试 Life Test	$\geq 500\text{ hours}$ (连续)			
重量 Weight	285g			

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计。

PYP555-XB (B款气泵/真空泵)

真空泵

VACUUM PUMP




典型应用 Typical Applications

- ▶ Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- ▶ Medical equipment, Vacuum packaging machine, Massagers, Booster technology
医疗设备.真空包装机.按摩器.增压技术

外形尺寸

Dimension

WEIGHT: 315.0g (APPROX)
UNIT: MILLIMETERS



产品规格

Product Specifications

额定电压	Rated Voltage	DC 12V	DC 24V
额定电流	Rated Current	≤ 1500mA	≤ 750mA
功率	Power	18 W	18 W
气嘴口径	Air Tap O.D.	Ø6.7mm	
真空流量	Vacuum Flow (No Load)	20-25 LPM	
最大真空度	Maximum Vacuum	≤ -50 Kpa (-375mmHg)	
噪音	Noise Level	≤ 65db (30cm away)	
寿命测试	Life Test	≥ 500 hours (连续)	
重量	Weight	315g	

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计。

